



EKSELANS BY ITS

# READ


V03

## IMPORTANT TO READ BEFORE STARTING THE UPDATE

Before upgrade the new Firmware, it is necessary to verify that we have installed older Firmware than the one we downloaded on the Ekselans website. **THIS STEP IS VERY IMPORTANT BECAUSE WHEN WHE UPGRADE AN OLDER FIRMWARE THE AP/CP COULD BREAK.**

To verify, let's follow these steps:

1. We access the AP/CPE as indicate in his manuals.
2. We checked the version it has installed in our AP/CPE:




3. We check the version that we find on the WEB. In our case we will use for example the **'AP1200W2-AP-V5.3-Build20190509171409'**. This Firmware will be in Spanish/English.

## Example.

Let's install the Firmware mentioned above in English, the **'AP1200W2-AP-V5.3-Build20190509171409'**. It is a later version than **'AP1200W2-AP-V5.3-Build20190415114154'** which is Spanish/Italian. We know that it is later by numbering, **20190509171409(2019-05-09-171409)** is later than **20190415114154(2019-04-15-114154)**.

The interface may vary when we access to a V2 or V5 equipment. The procedure on a V2 is the same as on the V5, it will only change the way you get to the upgrade section. In this manual we will only look at a V5.



1. Click ON **MANAGE**.
2. Then click **UPGRADE**.
3. Click select file and search and select upgrade file.
4. Finally click **UPGRADE** and wait.

IN THIS EXAMPLE IN CASE YOU WANT TO RETURN TO THE FIRMWARE IN ENGLISH/ITALIAN WE COULD UPGRADE THE **'AP1200W2-AP-V5.3-Build20190415114154'**. THIS IS BECAUSE WE ALREADY HAD THIS VERSION BEFORE UPGRADE TO THE **'AP1200W2-AP-V5.3-Build20190509171409'**.

For any questions about **Firmware** you can contact at [sopORTE@ek.plus](mailto:sopORTE@ek.plus).

Password to unzip FIRMWARE: leidomanualek.